

## ACSR Aluminum Conductor, Steel Reinforced

| CODE WORD | SIZE (AWG OR KCML) | STRANDING (AL/STL) | NOMINAL WEIGHT PER 1000 FT. (LBS.) | STANDARD PACKAGE         |                           |                        | STOCK NO.                                 | BASE PRICE PER CWT. |
|-----------|--------------------|--------------------|------------------------------------|--------------------------|---------------------------|------------------------|---|---------------------|
|           |                    |                    |                                    | LENGTH PER PACKAGE (FT.) | WEIGHT PER PACKAGE (LBS.) | SW PKG. NO.            |   |                     |
| Swan      | 4                  | 6/1                | 57.3                               | 15414                    | 884                       | C-17                   | 10-11-70-01                               | \$ 939.18           |
| *Swanate  | 4                  | 7/1                | 67.0                               | 17917<br>8958<br>3539    | 1200<br>600*<br>237       | C-18<br>A-10<br>X-COIL | 10-11-88-01<br>10-11-88-03<br>10-11-88-02 | \$ 861.03           |
| *Sparrow  | 2                  | 6/1                | 91.2                               | 19383<br>9691<br>2412    | 1768<br>884*<br>220*      | A-29<br>C-17<br>X-COIL | 10-11-96-01<br>10-11-96-03<br>10-11-96-02 | \$ 822.93           |
| *Sparate  | 2                  | 7/1                | 106.6                              | 11242<br>5621<br>2262    | 1198<br>599*<br>241       | C-18<br>A-10<br>X-COIL | 10-12-04-01<br>10-12-04-03<br>10-12-04-02 | \$ 800.60           |
| *Raven    | 1/0                | 6/1                | 145.2                              | 12188<br>6091<br>1516    | 1769<br>884*<br>220       | A-29<br>C-17<br>X-COIL | 10-12-20-01<br>10-12-20-03<br>10-12-20-02 | \$ 783.53           |
| *Quail    | 2/0                | 6/1                | 182.8                              | 9668<br>4834             | 1768<br>884*              | A-29<br>C-17           | 10-12-38-01<br>10-12-38-02                | \$ 794.90           |
| Pigeon    | 3/0                | 6/1                | 230.3                              | 7670<br>3835             | 1768<br>884               | A-29<br>C-17           | 10-12-46-01<br>10-12-46-02                | \$ 777.84           |
| *Penguin  | 4/0                | 6/1                | 290.8                              | 6081<br>3040             | 1768*<br>884*             | A-29<br>C-17           | 10-12-53-01<br>10-12-53-02                | \$ 759.54           |
| Waxwing   | 266.8              | 18/1               | 289.1                              | 14358<br>7179            | 4154<br>2077              | A-76<br>A-38           | 10-12-61-01<br>10-12-61-02                | \$ 871.24           |
| Partridge | 266.8              | 26/7               | 366.9                              | 10331                    | 3789                      | A-62                   | 10-13-45-01                               | \$ 1,006.15         |
| *Merlin   | 336.4              | 18/1               | 364.8                              | 11390<br>5694            | 4155<br>2077*             | A-76<br>A-38           | 10-12-79-01<br>10-12-79-02                | \$ 781.27           |
| Linnet    | 336.4              | 26/7               | 462.0                              | 8195                     | 3790                      | A-62                   | 10-13-60-02                               | \$ 960.73           |
| Oriole    | 336.4              | 30/7               | 526.4                              | 9430                     | 4963                      | A-76                   | 10-13-78-01                               | \$ 949.47           |
| Chickadee | 397.5              | 18/1               | 431.0                              | 9630<br>4814             | 4151<br>2075              | A-76<br>A-38           | 10-12-87-01<br>10-12-87-02                | \$ 848.53           |
| Ibis      | 397.5              | 26/7               | 546.3                              | 13870<br>6935            | 7580<br>3790              | S-120<br>A-62          | 10-13-86-01<br>10-13-86-02                | \$ 914.00           |
| *Pelican  | 477.0              | 18/1               | 517.3                              | 8028<br>4015             | 4153<br>2077*             | A-76<br>A-38           | 10-12-95-01<br>10-12-95-02                | \$ 870.03           |
| Flicker   | 477.0              | 24/7               | 613.9                              | 10659                    | 6541                      | S-120                  | 10-14-02-01                               | \$ 896.73           |
| Hawk      | 477.0              | 26/7               | 655.3                              | 11560<br>5779            | 7581<br>3790              | S-120<br>A-62          | 10-14-10-01<br>10-14-10-02                | \$ 879.90           |
| Hen       | 477.0              | 30/7               | 746.4                              | 6648                     | 4961                      | A-76                   | 10-14-28-01                               | \$ 887.60           |
| Osprey    | 556.5              | 18/1               | 603.3                              | 6890<br>3445             | 4158<br>2079              | A-76<br>A-38           | 10-13-03-01<br>10-13-03-06                | \$ 877.07           |
| Parakeet  | 556.5              | 24/7               | 716.1                              | 4570                     | 3272                      | A-62                   | 10-14-36-02                               | \$ 930.85           |
| Dove      | 556.5              | 26/7               | 765.2                              | 9910<br>4955             | 7582<br>3791              | S-120<br>A-62          | 10-14-44-01<br>10-14-44-02                | \$ 819.45           |
| Kingbird  | 636.0              | 18/1               | 689.7                              | 6020                     | 4152                      | A-76                   | 10-13-11-01                               |                     |
| Rook      | 636.0              | 24/7               | 818.2                              | 8000<br>4000             | 6546<br>3273              | S-120<br>A-62          | 10-14-85-01<br>10-14-85-02                | \$ 879.69           |
| Grosbeak  | 636.0              | 26/7               | 872.9                              | 8670<br>4336             | 7581<br>3791              | S-120<br>A-62          | 10-14-93-01<br>10-14-93-02                | \$ 861.05           |

\*Indicates items normally carried in stock.

Notes: "X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II.

See Packaging Information [www.southwire.com](http://www.southwire.com)

Steel core wire is galvanized Class A. Prices for B,C,AZ, & AW steel core wire are available on request.

Upon special request, ACSR is available in matched sets of reels. The variation in measured length of reels within each set shall not be greater than 150 feet.

Products listed on data pages which are not on price pages are available subject to special inquiry.

Base price is based on standard maximum reel sizes. For smaller reels and coils add 2% to the base price.

## ACSR

### Aluminum Conductor, Steel Reinforced

| CODE WORD | SIZE (AWG OR KCMIL) | STRANDING (AL/STL) | NOMINAL WEIGHT PER 1000 FT. (LBS.) | STANDARD PACKAGE         |                           |             | STOCK NO.   | BASE PRICE PER CWT. |
|-----------|---------------------|--------------------|------------------------------------|--------------------------|---------------------------|-------------|-------------|---------------------|
|           |                     |                    |                                    | LENGTH PER PACKAGE (FT.) | WEIGHT PER PACKAGE (LBS.) | SW PKG. NO. |             |                     |
| Drake     | 795.0               | 26/7               | 1093.4                             | 6940                     | 7585                      | S-120       | 10-15-43-01 | \$ 850.37           |
|           |                     |                    |                                    | 3470                     | 3793                      | A-62        | 10-15-43-02 |                     |
| Tern      | 795.0               | 45/7               | 894.7                              | 12000                    | 10739                     | S-187       | 10-15-50-01 | \$ 920.43           |
|           |                     |                    |                                    | 6000                     | 5370                      | S-99        | 10-15-50-02 |                     |
| Rail      | 954.0               | 45/7               | 1074.0                             | 10000                    | 10739                     | S-187       | 10-15-92-01 | \$ 905.27           |
| Cardinal  | 954.0               | 54/7               | 1226.1                             | 15600                    | 19146                     | S-300       | 10-16-00-03 | \$ 861.27           |
|           |                     |                    |                                    | 9600                     | 11782                     | S-187       | 10-16-00-02 |                     |
| Ortolan   | 1033.5              | 45/7               | 1162.7                             | 4615                     | 5369                      | S-99        | 10-16-18-02 | \$ 888.28           |
| Bluejay   | 1113                | 45/7               | 1253.1                             | 8569                     | 10736                     | S-187       | 10-16-34-01 | \$ 854.58           |
| Bunting   | 1192.5              | 45/7               | 1342.5                             | 7999                     | 10739                     | S-187       | 10-16-42-01 | \$ 874.27           |
| Bittern   | 1272.0              | 45/7               | 1431.6                             | 7501                     | 10739                     | S-187       | 10-16-59-01 | \$ 869.05           |
| Pheasant  | 1272.0              | 54/19              | 1633.6                             | 7175                     | 11718                     | S187        | 10-17-66-01 |                     |
| Dipper    | 1351.5              | 45/7               | 1521.2                             | 7060                     | 10741                     | S-187       | 10-16-67-01 | \$ 890.83           |
| Martin    | 1351.5              | 54/19              | 1735.1                             | 6756                     | 11722                     | S-187       | 10-17-74-02 | \$ 884.38           |
| Bobolink  | 1431.0              | 45/7               | 1610.8                             | 6665                     | 10736                     | S-187       | 10-16-75-01 | \$ 839.82           |
| Lapwing   | 1590.0              | 45/7               | 1790.3                             | 6000                     | 10739                     | S-187       | 10-16-91-01 | \$ 865.80           |
| Falcon    | 1590.0              | 54/19              | 2042.0                             | 9320                     | 19026                     | S-300       | 10-18-08-01 | \$ 816.53           |
|           |                     |                    |                                    | 5740                     | 11717                     | S-187       | 10-18-08-02 |                     |
| Bluebird  | 2156.0              | 84/19              | 2507.9                             | 7500                     | 18815                     | S-300       | 19-42-41-01 | \$ 936.00           |

#### HIGH MECHANICAL STRENGTH

|         |       |      |       |       |      |      |             |           |
|---------|-------|------|-------|-------|------|------|-------------|-----------|
| Grouse  | 80.0  | 8/1  | 148.8 | 7581  | 1126 | C-17 | 10-18-16-01 | \$ 804.16 |
| Minorca | 110.8 | 12/7 | 276.2 | 11482 | 3174 | A-38 | 10-18-32-01 | \$ 979.01 |
| Dorking | 190.8 | 12/7 | 472.0 | 6665  | 3170 | A-38 | 10-18-73-01 | \$ 755.30 |

\*Indicates items normally carried in stock.

Notes:

To price sizes not listed use next smaller size with same stranding construction (e.g. 400.00 kcmil, 26/7 ACSR would be priced the same as 397.5 kcmil, 26/7 code lbs ACSR).

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information [www.southwire.com](http://www.southwire.com).

Steel core wire is galvanized Class A. Prices for B,C,AZ, & AW steel core wire are available on request.

Upon special request, ACSR is available in matched sets of reels. The variation in measured length of reels within each set shall not be greater than 150 feet.

Products listed on data pages which are not on price pages are available subject to special inquiry.

Base price is based on standard maximum reel sizes. For smaller reels and coils add 2% to the base price.

**VR2™ CABLE**  
**ACSR VIBRATION RESISTANT CABLE**

| CODE<br>WORD    | EQUIVALENT<br>SIZE AWG<br>OR kcmil | CONST.         | OUTER<br>DIMENSIONS<br>(INS.) | NOMINAL<br>WEIGHT PER<br>1000 FT. (LBS.) | STANDARD PACKAGE         |                        |                | STOCK<br>NO. | BASE PRICE<br>PER CWT. |
|-----------------|------------------------------------|----------------|-------------------------------|--|--------------------------|------------------------|----------------|--------------|------------------------|
|                 |                                    |                |                               |  | LENGTH PER<br>PKG. (FT.) | WT. PER<br>PKG. (LBS.) | SW<br>PKG. NO. |              |                        |
| Swan / VR2      | 1                                  | 2 x #4-6/1     | 0.250 x 0.500                 | 114.7                                    | 15431                    | 1770                   | A-38           | 61-41-37-01  |                        |
| Swallow/VR2     | 1/0                                | 2 x #3-6/1     | 0.281 x 0.562                 | 144.6                                    | 12243                    | 1770                   | A-38           | 61-41-38-01  |                        |
| Sparrow / VR2   | 2/0                                | 2 x #2-6/1     | 0.316 x 0.631                 | 182.5                                    | 9702                     | 1770                   | A-38           | 61-41-39-01  | \$ 1,240.28            |
| Robin / VR2     | 3/0                                | 2 x #1-6/1     | 0.355 x 0.710                 | 230                                      | 7696                     | 1770                   | A-38           | 61-41-43-01  |                        |
| Raven / VR2     | 4/0                                | 2 x #1/0-6/1   | 0.398 x 0.796                 | 290.4                                    | 6097                     | 1770                   | A-38           | 61-39-32-01  | \$ 1,142.99            |
| Quail / VR2     | 266.2                              | 2 x #2/0-6/1   | 0.447 x 0.894                 | 365.6                                    | 4839                     | 1770                   | A-38           | 61-42-44-01  |                        |
| Penguin / VR2   | 423.2                              | 2 x #4/0-6/1   | 0.563 x 1.126                 | 581.9                                    | 3044                     | 1770                   | A-62           | 61-39-33-01  | \$ 1,114.91            |
| Waxwing / VR2   | 533.6                              | 2 x 266.8-18/1 | 0.609 x 1.218                 | 578.2                                    | 3059                     | 1770                   | A-76           | 61-41-40-01  | \$ 1,200.97            |
| Merlin / VR2    | 672.8                              | 2 x 336.4-18/1 | 0.684 x 1.368                 | 729.5                                    | 2426                     | 1770                   | A-76           | 61-41-41-01  |                        |
| Chickadee / VR2 | 795.0                              | 2 x 397.5-18/1 | 0.743 x 1.486                 | 862.1                                    | 2053                     | 1770                   | A-76           | 61-41-42-01  |                        |
| Ibis / VR2      | 795.0                              | 2 x 397.5-26/7 | 0.783 x 1.566                 | 1092.6                                   | 1619                     | 1770                   | A-99           | 61-41-29-01  | \$ 11,437.07           |
| Hawk/VR2        | 954.0                              | 2 x 477-26/7   | 0.858 x 1.716                 | 1310.8                                   | 1349                     | 1770                   | A-99           | 61-41-84-01  | \$ 13,643.65           |

## Notes:

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information [www.southwire.com](http://www.southwire.com).

Products listed on data pages which are not on price pages are available subject to special inquiry.

## AAC

### All Aluminum Conductor, Bare

| CODE WORD   | SIZE (AWG OR KCMIL) | STRANDING (AL) | NOMINAL WEIGHT PER 1000 FT. (LBS.) | STANDARD PACKAGE         |                           |             | STOCK NO.   | BASE PRICE PER CWT. |
|-------------|---------------------|----------------|------------------------------------|--------------------------|---------------------------|-------------|-------------|---------------------|
|             |                     |                |                                    | LENGTH PER PACKAGE (FT.) | WEIGHT PER PACKAGE (LBS.) | SW PKG. NO. |             |                     |
| Iris        | 2                   | 7              | 62.2                               | 22509                    | 1400                      | A-29        | 10-08-34-01 | \$ 925.65           |
|             |                     |                |                                    | 11255                    | 700                       | C-17        | 10-08-34-03 |                     |
| Poppy       | 1/0                 | 7              | 98.9                               | 14155                    | 1401                      | A-29        | 10-08-59-01 | \$ 878.63           |
|             |                     |                |                                    | 7082                     | 701                       | C-17        | 10-08-59-03 |                     |
| Aster       | 2/0                 | 7              | 124.8                              | 11223                    | 1400                      | A-29        | 10-08-67-01 |                     |
|             |                     |                |                                    | 5611                     | 700                       | C-17        | 10-08-67-02 |                     |
| Phlox       | 3/0                 | 7              | 157.2                              | 8902                     | 1400                      | A-29        | 10-08-75-01 | \$ 865.90           |
|             |                     |                |                                    | 4457                     | 701                       | C-17        | 10-08-75-02 |                     |
| Oxlip       | 4/0                 | 7              | 198.4                              | 7054                     | 1399                      | A-29        | 10-08-83-01 | \$ 847.11           |
|             |                     |                |                                    | 3529                     | 700                       | C-17        | 10-08-83-02 |                     |
| Laurel      | 266.8               | 19             | 250.1                              | 7594                     | 1899                      | A-38        | 10-09-09-02 |                     |
| Tulip       | 336.4               | 19             | 316.2                              | 12046                    | 3798                      | A76         | 10-09-17-01 | \$ 875.29           |
|             |                     |                |                                    | 6020                     | 1898                      | A-38        | 10-09-17-02 |                     |
| Daffodil    | 350.0               | 19             | 327.9                              | 11590                    | 3802                      | A-76        | 14-81-22-01 |                     |
| Canna       | 397.5               | 19             | 372.9                              | 10189                    | 3796                      | A-76        | 10-09-25-01 | \$ 861.56           |
|             |                     |                |                                    | 5094                     | 1898                      | A-38        | 10-09-25-02 |                     |
| Cosmos      | 477.0               | 19             | 446.8                              | 8504                     | 3802                      | A-76        | 10-09-33-01 | \$ 851.83           |
|             |                     |                |                                    | 4254                     | 1902                      | A-38        | 10-09-33-02 |                     |
| Dahlia      | 556.5               | 19             | 522.5                              | 7289                     | 3802                      | A-76        | 10-09-41-01 | \$ 899.58           |
|             |                     |                |                                    | 3645                     | 1901                      | A-38        | 10-09-41-02 |                     |
| Mistletoe   | 556.5               | 37             | 521.3                              | 7099                     | 3703                      | A-76        | 10-09-66-02 |                     |
| Meadowsweet | 600                 | 37             | 562.0                              | 6585                     | 3703                      | A-76        | 15-77-43-02 | \$ 1,185.42         |
| Orchid      | 636                 | 37             | 596.0                              | 6210                     | 3702                      | A-76        | 10-09-74-02 | \$ 1,156.07         |
| Petunia     | 750                 | 37             | 703.2                              | 5261                     | 3698                      | A-76        | 18-26-18-02 |                     |
| Arbutus     | 795                 | 37             | 745.3                              | 9930                     | 7399                      | S-153       | 10-09-90-01 | \$ 1,064.02         |
|             |                     |                |                                    | 4965                     | 3700                      | A-76        | 10-09-90-02 |                     |
| Magnolia    | 954                 | 37             | 894.4                              | 8275                     | 7399                      | S-153       | 10-10-14-01 | \$ 1,058.40         |
|             |                     |                |                                    | 4135                     | 3697                      | A-76        | 10-10-14-02 |                     |
| Bluebell    | 1033.5              | 37             | 970.5                              | 7640                     | 7401                      | S-153       | 10-10-22-01 | \$ 1,094.27         |
|             |                     |                |                                    | 3820                     | 3700                      | A-76        | 10-10-22-02 |                     |
| Narcissus   | 1272                | 61             | 1192.1                             | 8190                     | 9765                      | S-187       | 10-11-05-01 |                     |
|             |                     |                |                                    | 4095                     | 4882                      | S-99        | 10-11-05-02 |                     |
| Coreopsis   | 1590                | 61             | 1489.4                             | 6555                     | 9769                      | S-187       | 10-11-47-01 | \$ 1,048.34         |
|             |                     |                |                                    | 3280                     | 4888                      | S-99        | 10-11-47-02 |                     |
| Lupine      | 2500                | 91             | 2364.7                             | 3850                     | 9110                      | S-187       | 18-26-75-01 |                     |

**Notes:**

To price sizes not listed use next smaller size with same stranding construction (e.g. 400.00 kcmil, 19 strand AAC would be priced the same as 397.50 kcmil, 19 strand code Canna AAC).

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information [www.southwire.com](http://www.southwire.com).

Products listed on data pages which are not on price pages are available subject to special inquiry.

Base price is based on standard maximum reel sizes. For smaller reels and coils add 2% to the base price.

## AAAC - 6201

## All Aluminum Alloy Conductor, Bare

| CODE WORD | SIZE (KCMIL) | STRAND | ACSR W/ EQUIV. DIAM |                    | NOMINAL WEIGHT PER 1000 FT. (LBS.) | STANDARD PACKAGE     |                       |             | STOCK NO.   | BASE PRICE PER CWT. |
|-----------|--------------|--------|---------------------|--------------------|------------------------------------|----------------------|-----------------------|-------------|-------------|---------------------|
|           |              |        | SIZE                | STRANDING (AL/STL) |                                    | LENGTH PER PKG (FT.) | WEIGHT PER PKG (LBS.) | SW PKG. NO. |             |                     |
| Alton     | 48.69        | 7      | 4                   | 6/1                | 45.4                               | 30630                | 1391                  | A-29        | 10-20-04-01 | \$ 1,293.82         |
|           |              |        |                     |                    |                                    | 15307                | 695                   | C-17        | 10-20-04-03 |                     |
| Ames      | 77.47        | 7      | 2                   | 6/1                | 72.2                               | 19,256               | 1391                  | A-29        | 10-20-12-01 | \$ 1,123.92         |
|           |              |        |                     |                    |                                    | 9,635                | 696                   | C-17        | 10-20-12-03 |                     |
| *Azusa    | 123.3        | 7      | 1/0                 | 6/1                | 114.9                              | 12,098               | 1391                  | A-29        | 10-20-20-01 | \$ 1,069.47         |
|           |              |        |                     |                    |                                    | 6045                 | 695*                  | C-17        | 10-20-20-03 |                     |
| Anaheim   | 155.4        | 7      | 2/0                 | 6/1                | 144.9                              | 4,803                | 696                   | C-17        | 10-20-38-02 | \$ 1,049.86         |
| Amherst   | 195.7        | 7      | 3/0                 | 6/1                | 182.5                              | 7623                 | 1391                  | A-29        | 10-20-46-01 | \$ 1,009.56         |
| Alliance  | 246.9        | 7      | 4/0                 | 6/1                | 230.2                              | 6042                 | 1391                  | A-29        | 10-20-53-01 | \$ 991.06           |
| Butte     | 312.8        | 19     | 266.8               | 26/7               | 291.6                              | 6469                 | 1887                  | A-38        | 16-84-68-01 | \$ 1,085.79         |
| Canton    | 394.5        | 19     | 336.4               | 26/7               | 367.8                              | 10259                | 3774                  | A-76        | 10-20-61-01 | \$ 1,043.32         |
| Cairo     | 465.4        | 19     | 397.5               | 26/7               | 433.9                              | 4348                 | 1887                  | A-38        | 10-20-79-02 | \$ 1,086.78         |
| Darien    | 559.5        | 19     | 477.0               | 26/7               | 521.7                              | 7240                 | 3777                  | A-76        | 10-20-87-01 | \$ 1,018.28         |
| Elgin     | 652.4        | 19     | 556.5               | 26/7               | 608.3                              | 6210                 | 3778                  | A-76        | 10-20-95-01 | \$ 1,062.71         |

\*Indicates items normally carried in stock.

## Notes:

To price sizes not listed use the next smaller size with same stranding construction (e.g. 400.00 kcmil, 19 strand AAAC-6201 would be priced the same as 394.5 kcmil, 19 strand code Canton AAAC-6201).

All packages are reels with PACKAGE PROTECTION TYPE II. [www.southwire.com](http://www.southwire.com).

Products listed on data pages which are not on price pages are available subject to special inquiry.

Base price is based on standard maximum reel sizes. For smaller reels and coils add 2% to the base price.

## Tie and Ground Wire

| SIZE (AWG) | STRANDING | WEIGHT PER 1000 FT. (LBS.) | STANDARD PACKAGES     |                        |             | STOCK NO.   | BASE PRICE PER CWT. |
|------------|-----------|----------------------------|-----------------------|------------------------|-------------|-------------|---------------------|
|            |           |                            | LENGTH PER PKG. (FT.) | WEIGHT PER PKG. (LBS.) | SW PKG. NO. |             |                     |
| *6         | Solid     | 24.1                       | 1037                  | 25                     | K-406       | 13-28-52-01 | \$ 2,165.68         |
| *4         | Solid     | 38.4                       | 652                   | 25                     | K-406       | 13-28-60-01 | \$ 1,162.44         |
| *2         | Solid     | 61.0                       | 410                   | 25                     | K-406       | 13-28-78-01 | \$ 1,116.58         |

\*Indicates items normally carried in stock.

## ACSS

### Aluminum Conductor, Steel Supported

| CODE WORD | SIZE (AWG OR KCMIL) | STRANDING (AL/STL) | NOMINAL WEIGHT PER 1000 FT. (LBS.) | STANDARD PACKAGE         |                           |             | STOCK NO. | BASE PRICE PER MFT. |
|-----------|---------------------|--------------------|------------------------------------|--------------------------|---------------------------|-------------|-----------|---------------------|
|           |                     |                    |                                    | LENGTH PER PACKAGE (FT.) | WEIGHT PER PACKAGE (LBS.) | SW PKG. NO. |           |                     |
| Partridge | 266.8               | 26/7               | 366.5                              | 10330                    | 3789                      | A62         |           |                     |
| Linnet    | 336.4               | 26/7               | 462.0                              | 16389                    | 7580                      | S-120       | 68-79-47  | \$ 6,017.03         |
| Oriole    | 336.4               | 30/7               | 527.4                              | 9430                     | 4963                      | A76         |           |                     |
| Ibis      | 397.5               | 26/7               | 546.0                              | 7583                     | 13876                     | S120        | 47-82-48  | \$ 7,205.88         |
| Flicker   | 477.0               | 24/7               | 613.9                              | 10659                    | 6541                      | S-120       |           |                     |
| Hawk      | 477.0               | 26/7               | 655.3                              | 11560                    | 7581                      | S-120       | 68-70-61  | \$ 7,436.46         |
| Hen       | 477.0               | 30/7               | 746.4                              | 6648                     | 4961                      | A76         | 61-47-72  |                     |
| Parakeet  | 556.5               | 24/7               | 716.1                              | 9140                     | 6543                      | S-120       | 65-80-05  |                     |
| Dove      | 556.5               | 26/7               | 765.2                              | 9910                     | 7582                      | S-120       | 61-19-30  | \$ 8,085.54         |
| Rook      | 636.0               | 24/7               | 818.2                              | 10000                    | 8182                      | S-153       | 61-24-49  | \$ 17,936.49        |
| Grosbeak  | 636.0               | 26/7               | 874.2                              | 12350                    | 10799                     | S-187       | 50-60-22  | \$ 9,559.11         |
| Tern      | 795.0               | 45/7               | 894.7                              | 11999                    | 10738                     | S-300       | 67-89-04  | \$ 19,173.96        |
| Drake     | 795.0               | 26/7               | 1093.5                             | 6940                     | 7585                      | S-120       | 64-64-14  | \$ 11,841.04        |
| Rail      | 954.0               | 45/7               | 1074.0                             | 13800                    | 14819                     | S-300       | 67-89-87  | \$ 12,831.28        |
| Cardinal  | 954.0               | 54/7               | 1227.1                             | 13000                    | 15955                     | S-300       | 61-03-61  | \$ 13,343.28        |
| Ortolan   | 1033.5              | 45/7               | 1162.7                             | 14200                    | 16520                     | S-300       | 61-03-20  | \$ 13,863.26        |
| Curlew    | 1033.5              | 54/7               | 1328.8                             | 14400                    | 19146                     | S-300       | 68-57-50  | \$ 15,254.17        |
| Bluejay   | 1113.0              | 45/7               | 1253.5                             | 4000                     | 5011                      | A99         | 61-20-94  | \$ 15,611.27        |
| Bunting   | 1192.5              | 45/7               | 1342.5                             | 11670                    | 15665                     | S-300       | 61-12-66  | \$ 14,658.65        |
| Bittern   | 1272.0              | 45/7               | 1431.6                             | 7501                     | 10740                     | S-187       | 65-65-04  | \$ 16,431.39        |
| Pheasant  | 1272.0              | 54/19              | 1633.6                             | 10000                    | 16330                     | S-300       | 61-12-05  | \$ 18,469.54        |
| Dipper    | 1351.5              | 45/7               | 1521.3                             | 7060                     | 10741                     | S-187       |           |                     |
| Martin    | 1351.5              | 54/19              | 1735.0                             | 10939                    | 18973                     | S-300       | 67-86-98  | \$ 20,794.22        |
| Bobolink  | 1431.0              | 45/7               | 1610.8                             | 6665                     | 10736                     | S-187       |           |                     |
| Lapwing   | 1590.0              | 45/7               | 1790.3                             | 6000                     | 10739                     | S-187       | 61-14-39  | \$ 19,332.34        |
| Falcon    | 1590.0              | 54/19              | 2042.0                             | 9800                     | 20005                     | S-300       | 61-19-03  | \$ 22,672.00        |
| BlueBird  | 2156.0              | 84/19              | 2040.4                             | 7000                     | 17558                     | S-300       | 68-98-10  | \$ 29,745.18        |

**Notes:**

Base prices are for conductor with special corrosion resistant zinc-5% Aluminum-Mischmetal Alloy Coated Steel Core Wire.

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information [www.southwire.com](http://www.southwire.com).

Please contact your sales representative for quotations.

## ACSS/HS

### Aluminum Conductor, Steel Supported

| CODE WORD | SIZE (AWG OR KCMIL) | STRANDING (AL/STL) | NOMINAL WEIGHT PER 1000 FT. (LBS.) | STANDARD PACKAGE         |                           |             | STOCK NO. | BASE PRICE PER MFT. |
|-----------|---------------------|--------------------|------------------------------------|--------------------------|---------------------------|-------------|-----------|---------------------|
|           |                     |                    |                                    | LENGTH PER PACKAGE (FT.) | WEIGHT PER PACKAGE (LBS.) | SW PKG. NO. |           |                     |
| Partridge | 266.8               | 26/7               | 366.8                              | 10330                    | 3789                      | A62         |           | \$ -                |
| Linnet    | 336.4               | 26/7               | 462.5                              | 16390                    | 7580                      | S-120       |           | \$ -                |
| Oriole    | 336.4               | 30/7               | 526.3                              | 9430                     | 4963                      | A76         |           | \$ -                |
| Ibis      | 397.5               | 26/7               | 546.5                              | 13870                    | 7580                      | S-120       |           | \$ -                |
| Flicker   | 477.0               | 24/7               | 613.6                              | 10660                    | 6541                      | S-120       |           | \$ -                |
| Hawk      | 477.0               | 26/7               | 655.8                              | 11560                    | 7581                      | S-120       |           | \$ -                |
| Hen       | 477.0               | 30/7               | 746.3                              | 6650                     | 4961                      | A76         |           | \$ -                |
| Parakeet  | 556.5               | 24/7               | 715.9                              | 9140                     | 6543                      | S-120       |           | \$ -                |
| Dove      | 556.5               | 26/7               | 765.1                              | 9910                     | 7582                      | S-120       | 61-32-54  | \$ -                |
| Rook      | 636.0               | 24/7               | 818.2                              | 8000                     | 6546                      | S-120       |           | \$ -                |
| Grosbeak  | 636.0               | 26/7               | 874.4                              | 8670                     | 7581                      | S-120       |           | \$ -                |
| Drake     | 795.0               | 26/7               | 1093.0                             | 6940                     | 7585                      | S-120       | 61-23-94  | \$ -                |
| Rail      | 954.0               | 45/7               | 1073.9                             | 15000                    | 16108                     | S-300       |           | \$ -                |
| Cardinal  | 954.0               | 54/7               | 1227.3                             | 15600                    | 19146                     | S-300       |           | \$ -                |
| Orotan    | 1033.5              | 45/7               | 1163.4                             | 13850                    | 16113                     | S-300       |           | \$ -                |
| Curlew    | 1033.5              | 54/7               | 1329.6                             | 14400                    | 19146                     | S-300       |           | \$ -                |
| Bluejay   | 1113.0              | 45/7               | 1252.8                             | 12850                    | 16099                     | S-300       |           | \$ -                |
| Bunting   | 1192.5              | 45/7               | 1342.4                             | 12000                    | 16108                     | S-300       |           | \$ -                |
| Bittern   | 1272.0              | 45/7               | 1431.9                             | 11250                    | 16108                     | S-300       |           | \$ -                |
| Pheasant  | 1272.0              | 54/19              | 1633.2                             | 11650                    | 19026                     | S-300       | 61-32-53  | \$ -                |
| Dipper    | 1351.5              | 45/7               | 1521.3                             | 10590                    | 16110                     | S-300       |           | \$ -                |
| Martin    | 1351.5              | 54/19              | 1735.2                             | 10960                    | 19018                     | S-300       |           | \$ -                |
| Bobolink  | 1431.0              | 45/7               | 1610.8                             | 10000                    | 16109                     | S-300       |           | \$ -                |
| Lapwing   | 1590.0              | 45/7               | 1789.8                             | 9000                     | 16109                     | S-300       | 61-20-57  | \$ -                |
| Falcon    | 1590.0              | 54/19              | 2041.4                             | 9320                     | 19026                     | S-300       |           | \$ -                |
| BlueBird  | 2156.0              | 84/19              | 2508.6                             | 7500                     | 18815                     | S-300       |           | \$ -                |

Notes:  
 Base prices are for conductor with special corrosion resistant zinc-5% Aluminum-Mischmetal Alloy Coated Steel Core Wire.  
 \* Designated by "/HS" (e.g. Drake/ACSS/HS).  
 All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information [www.southwire.com](http://www.southwire.com).  
 Please contact your sales representative for quotations.

**ACSS/HS285**  
**Aluminum Conductor, Steel Supported**

| CODE WORD | SIZE (AWG OR KCML) | STRANDING (AL/STL) | NOMINAL WEIGHT PER 1000 FT. (LBS.) | STANDARD PACKAGE         |                           |             | STOCK NO. | BASE PRICE PER MFT. |
|-----------|--------------------|--------------------|------------------------------------|--------------------------|---------------------------|-------------|-----------|---------------------|
|           |                    |                    |                                    | LENGTH PER PACKAGE (FT.) | WEIGHT PER PACKAGE (LBS.) | SW PKG. NO. |           |                     |
| Partridge | 266.8              | 26/7               | 366.8                              | 10330                    | 3789                      | A62         |           | \$ -                |
| Linnet    | 336.4              | 26/7               | 462.5                              | 16390                    | 7580                      | S-120       | 61-41-00  | \$ -                |
| Oriole    | 336.4              | 30/7               | 526.3                              | 9430                     | 4963                      | A76         |           | \$ -                |
| Ibis      | 397.5              | 26/7               | 546.5                              | 13870                    | 7580                      | S-120       |           | \$ -                |
| Flicker   | 477.0              | 24/7               | 613.6                              | 10660                    | 6541                      | S-120       |           | \$ -                |
| Hawk      | 477.0              | 26/7               | 655.8                              | 11560                    | 7581                      | S-120       | 61-36-44  | \$ 15,486.70        |
| Hen       | 477.0              | 30/7               | 746.3                              | 6650                     | 4961                      | A76         |           | \$ -                |
| Parakeet  | 556.5              | 24/7               | 715.9                              | 9140                     | 6543                      | S-120       |           | \$ -                |
| Dove      | 556.5              | 26/7               | 765.1                              | 9910                     | 7582                      | S-120       |           | \$ -                |
| Rook      | 636.0              | 24/7               | 818.2                              | 8000                     | 6546                      | S-120       |           | \$ -                |
| Grosbeak  | 636.0              | 26/7               | 874.4                              | 8670                     | 7581                      | S-120       | 61-68-53  | \$ 20,307.46        |
| Drake     | 795.0              | 26/7               | 1093.0                             | 6940                     | 7585                      | S-120       | 61-60-56  | \$ 23,465.41        |
| Rail      | 954.0              | 45/7               | 1073.9                             | 15000                    | 16108                     | S-300       |           | \$ -                |
| Cardinal  | 954.0              | 54/7               | 1227.3                             | 15600                    | 19146                     | S-300       |           | \$ -                |
| Ortolan   | 1033.5             | 45/7               | 1163.4                             | 13850                    | 16113                     | S-300       |           | \$ -                |
| Curlew    | 1033.5             | 54/7               | 1329.6                             | 14400                    | 19146                     | S-300       |           | \$ -                |
| Bluejay   | 1113.0             | 45/7               | 1252.8                             | 12850                    | 16099                     | S-300       |           | \$ -                |
| Bunting   | 1192.5             | 45/7               | 1342.4                             | 12000                    | 16108                     | S-300       |           | \$ -                |
| Bittern   | 1272.0             | 45/7               | 1431.9                             | 11250                    | 16108                     | S-300       |           | \$ -                |
| Pheasant  | 1272.0             | 54/19              | 1633.2                             | 11650                    | 19026                     | S-300       |           | \$ -                |
| Dipper    | 1351.5             | 45/7               | 1521.3                             | 10590                    | 16110                     | S-300       |           | \$ -                |
| Martin    | 1351.5             | 54/19              | 1735.2                             | 10960                    | 19018                     | S-300       |           | \$ -                |
| Bobolink  | 1431.0             | 45/7               | 1610.8                             | 10000                    | 16109                     | S-300       |           | \$ -                |
| Lapwing   | 1590.0             | 45/7               | 1789.8                             | 9000                     | 16109                     | S-300       |           | \$ -                |
| Falcon    | 1590.0             | 54/19              | 2041.4                             | 9320                     | 19026                     | S-300       |           | \$ -                |
| BlueBird  | 2156.0             | 84/19              | 2508.6                             | 7500                     | 18815                     | S-300       |           | \$ -                |

## Notes:

Base prices are for conductor with special corrosion resistant zinc-5% Aluminum-Mischmetal Alloy Coated Steel Core Wire.

\* Designated by "/HS285" (e.g. Drake/ACSS/HS285).

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information [www.southwire.com](http://www.southwire.com).

Please contact your sales representative for quotations.