



CA64

This price sheet supersedes all previous list price sheets.

PAYMENT TERMS

Net cash 30 days from date of invoice. All applicable taxes are purchaser's responsibility. Credit subject to approval by the General Office in Carrollton, Georgia.

ORDER ACCEPTANCE

Orders are binding after acceptance by the General Office in Carrollton, and all transactions are subject to Southwire's General Terms and Conditions. Orders will be invoiced on date of shipment.

QUANTITY PRICING, DELIVERY GROUPING, MINIMUM ORDERS

When an order is shipped from one location at one time to one destination, all utility products may be grouped to satisfy Southwire's 10,000-pound delivery term. The grouping of utility and building wire products is subject to special pricing inquiry. The minimum order size for in-stock items is one standard package, reel or coil, and is subject to a minimum billing total of \$1,000.00.

Orders for non-stock items are subject to minimum production requirements and will be established upon inquiry.

MANUFACTURING AND SHIPPING TOLERANCES

Standard lengths shown on this price sheet are subject to a manufacturing tolerance of -10% and +20%. Packages will be marked to show length and weight of material. Weights may vary within tolerances specified by ASTM. One standard package of specified total will be considered acceptable.

DELIVERY TERMS

Quotes are subject to and incorporate Southwire's Freight Policy and or Southwire's Energy Freight Policy, which is available on Southwire's website and or upon request from your Southwire representative.

RETURNABLE REELS

Steel Reels are often required for transportation and storage of product. Each reel will have an associated charge. Southwire will reimburse customer for the charge of the reel if reel is returned in a specified timeframe as outlined in Terms and Conditions on www.southwire.com.

COVERED LINEWIRE

CODE WORD	PHASE CONDUCTOR	PKG. LENGTH	SW PKG. NO.	POLY			XLP		
				WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Pear	4-1 AAC	2400	X-COIL	47.3	10-21-11-02	\$ 993.00	47.3	10-42-08-02	\$ 1,102.00
Butternut	4-6/1 ACSR	6200	N-11	70.9	10-22-85-01	\$ 1,097.00	--	--	
		2200	X-COIL		10-22-85-02			--	
Hickory	4-7/1 ACSR	6000	N-11	80.7	10-22-93-01	\$ 1,036.00	--	--	
			--		--			--	
Peach	2-7 AAC		--	83.1	--	\$ 1,249.00	--	--	
		1500	X-COIL		10-21-52-02			--	
Pignut	2-6/1 ACSR	6700	N-19	116.4	10-23-01-01	\$ 1,562.00	116.4	10-43-98-01	\$ 1,721.00
		1200	X-COIL		10-23-01-02			--	
Oilnut	1/0-7 6201	4000	N-19	158.3	10-24-67-05	\$ 2,424.00	158.3	10-45-54-05	\$ 2,686.00
		1000	X-COIL		10-24-67-02			10-45-54-02	\$ 2,686.00
Quince	1/0-7 AAC	4700	N-19	134.2	10-21-60-01	\$ 1,806.00	134.2	10-42-57-01	\$ 2,000.00
		1000	X-COIL		10-21-60-02			--	
Almond	1/0-6/1 ACSR	4000	N-19	187.3	10-23-35-01	\$ 2,176.00	187.3	10-44-22-01	\$ 2,412.00
		1000	X-COIL		10-23-35-02			10-44-22-02	\$ 2,412.00
Waterash	2/0-7 6201	3400	N-19	--	--		195.5	10-45-62-01	\$ 2,957.00
Orange	2/0-7 AAC	3800	N-19	167.1	10-21-78-01	\$ 2,147.00	--	--	
Pecan	2/0-6/1 ACSR	3400	N-19	233.4	10-23-43-01	\$ 2,764.00	257.4	10-44-30-01	\$ 3,065.00
Filbert	3/0-6/1 ACSR	3900	N-24	288.3	10-23-50-01	\$ 3,509.00	--	--	
Planetree	4/0-7 6201	3000	N-24	294.7	10-24-91-01	\$ 4,008.00	--	--	
Olive	4/0-7 AAC	3500	N-24	248.44	10-21-94-01	\$ 2,999.00	248.44	10-42-81-01	\$ 3,323.00
Pomegranate	4/0-19 AAC	3800	N-24	--	--		247.3	10-42-99-01	\$ 4,180.00
Buckeye	4/0-6/1 ACSR	3000	N-24	357.2	10-23-68-01	\$ 3,694.00	352.8	10-44-55-01	\$ 4,095.00
Mulberry	266.8-19 AAC	3000	N-24	304.8	10-22-10-01	\$ 4,521.00	--	--	
Anona	336.4-19 AAC	2500	N-24	375.5	10-22-28-01	\$ 5,435.00	375.5	10-43-15-01	\$ 6,032.00
Huckleberry	477.0-37 AAC	3300	N-48	540.00	10-22-44-01	\$ 7,916.00	540.0	10-43-31-01	\$ 8,763.00
Paw Paw	556.5-37 AAC	2800	N-48	619.0	10-22-51-01	\$ 8,960.00	621.7	10-43-49-01	\$ 9,927.00
Breadfruit	636.0-61 AAC	2500	N-48	--	--		721.2	20-21-27-01	\$ 10,038.00
Persimmon	795.0-61 AAC	2200	N-48	884.7	10-22-69-01	\$ 12,626.00	--	--	
Grapefruit	1033.5-61 AAC	1700	N-48	1117.9	14-50-86-01	\$ 14,187.00	1127.6	20-21-35-01	\$ 15,720.00

Notes:

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

DUPLEX SERVICE DROP

CODE WORD	PHASE CONDUCTOR	NEUTRAL	PKG. LENGTH	SW PKG. NO.	POLY			XLP		
					WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Vizsla	6-7	6-7 6201	3300 500	N-11 X-COIL	67.1	10-26-08-01 10-26-08-03	\$ 1,588.00	67.1	10-46-95-01 10-46-95-03	\$ 1,764.00
Collie	6-7	6-7 AAC	3300 500	N-11 X-COIL	63.1	10-25-17-01 10-25-17-05	\$ 1,410.00	63.1	10-46-04-01 10-46-04-06	\$ 1,564.00
Setter	6-1	6-6/1 ACSR	3300 500	N-11 X-COIL	72.3	10-25-58-01 10-25-58-03	\$ 1,387.00	72.3	-- 10-46-46-05	\$ 1,537.00
Shepherd	6-7	6-6/1 ACSR	3300 500	N-11 X-COIL	74.6	10-25-66-01* 10-25-66-03*	\$ 1,621.00	74.6	10-46-53-01* 10-46-53-03*	\$ 1,801.00
Whippet	4-7	4-7 6201	2400 500	N-11 X-COIL	101.8	10-26-16-01 10-26-16-03	\$ 1,995.00	101.8	10-47-03-01 10-47-03-03	\$ 2,210.00
Terrrier	4-7	4-6/1 ACSR	2400 500	N-11 X-COIL	113.8	10-25-74-01 10-25-74-03	\$ 1,975.00	113.9	10-46-61-01 10-46-61-03	\$ 2,198.00
Chow	2-7	2-6/1 ACSR	2400 500	N-19 X-COIL	175.2	10-25-82-01 10-25-82-02	\$ 2,606.00	175.3	10-46-79-01 10-46-79-02	\$ 2,890.00

*Indicates items normally carried in stock.

Notes:

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

TRIPLEX SERVICE DROP

CODE WORD	PHASE CONDUCTOR	NEUTRAL	PKG. LENGTH	SW PKG. NO.	POLY			XLP		
					WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Hippa	6-7	6-7 6201	2200 500	N-11 X-COIL	105.6	18-59-18-01 18-59-18-02	\$ 2,375.00	105.6	15-26-45-01 15-26-45-02	\$ 2,631.00
Patella	6-7	6-7 AAC	2500 500	N-11 X-COIL	101.7	10-26-24-01 10-26-24-05	\$ 2,149.00	--	-- --	
Paludina	6-1	6-6/1 ACSR	2500 500	N-11 X-COIL	108.6	10-27-15-01 --	\$ 1,873.00	108.6	-- 10-48-02-05	\$ 2,084.00
Voluta	6-7	6-6/1 ACSR	2200 500*	N-11 X-COIL	113.1	10-27-23-01* 10-27-23-03*	\$ 2,396.00	113.2	10-48-10-01* 10-48-10-03*	\$ 2,657.00
Barnacles	4-7	4-7 6201	1500 500	N-11 X-COIL	158.3	10-29-96-01 10-29-96-02	\$ 3,035.00	158.3	10-50-80-01 10-50-80-02	\$ 3,362.00
Crab	4-7	6-7 6201	1500 500	N-11 X-COIL	143.1	10-30-51-01 --	\$ 2,846.00	--	-- --	
Oyster	4-7	4-7 AAC	1500 500	N-11 X-COIL	152.0	10-26-32-01 10-26-32-02	\$ 2,787.00	152.0	10-47-29-01 10-47-29-02	\$ 3,088.00
Whelk	4-1	4-6/1 ACSR	1700 500	N-11 X-COIL	163.6	10-27-31-01 10-27-31-02	\$ 3,265.00	--	-- --	
Periwinkle	4-7	4-6/1 ACSR	1500 500*	N-11 X-COIL	170.2	10-27-49-01* 10-27-49-02*	\$ 2,991.00	170.3	10-48-36-01* 10-48-36-02*	\$ 3,316.00
Strombus	4-7	6-6/1 ACSR	1500 500	N-11 X-COIL	150.6	10-28-30-01 10-28-30-02	\$ 2,870.00	149.0	10-49-27-01 10-49-27-02	\$ 3,184.00
Shrimp	2-7	2-7 6201	1800 500	N-19 X-COIL	240.1	10-30-02-01 10-30-02-02	\$ 3,987.00	240.1	10-50-98-01 10-50-98-02	\$ 4,424.00

*Indicates items normally carried in stock.

Notes:

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

TRIPLEX SERVICE DROP

CODE WORD	PHASE CONDUCTOR	NEUTRAL	PKG. LENGTH	SW PKG. NO.	POLY			XLP		
					WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Solaster	2-7	4-7 6201	1800 500	N-19 X-COIL	213.3	10-30-69-01 10-30-69-02	\$ 3,659.00	213.3	10-51-55-01 10-51-55-02	\$ 4,051.00
Clam	2-7	2-7 AAC	1800 500	N-19 X-COIL	230.1	10-26-40-01 10-26-40-02	\$ 3,659.00	230.1	10-47-37-01 10-47-37-02	\$ 4,051.00
Conch	2-7	2-6/1 ACSR	1800 500*	N-19 X-COIL	259.1	10-27-56-01* 10-27-56-02*	\$ 3,946.00	259.2	10-48-44-01* 10-48-44-02*	\$ 4,371.00
Cockle	2-7	4-6/1 ACSR	1800 500*	N-19 X-COIL	225.2	10-28-48-01 10-28-48-02	\$ 3,677.00	225.2	10-49-35-01* 10-49-35-02*	\$ 4,069.00
Gammarus	1/0-7	1/0-7 6201	1200 500	N-19 X-COIL	386.1	10-30-10-01 10-30-10-02	\$ 5,584.00	386.1	10-51-06-01 10-51-06-02	\$ 6,191.00
Leda	1/0-9	1/0-7 6201	1200 500	N-19 X-COIL	384.0	10-30-28-01 10-30-28-02	\$ 5,835.00	387.0	10-51-14-01 10-51-14-02	\$ 6,466.00
Sandcrab	1/0-7	2-7 6201	1200 500	N-19 X-COIL	--	--		343.4	18-05-21-01 18-05-21-02	\$ 5,585.00
Echinus	1/0-9	2-7 6201	1200 500	N-19 X-COIL	342.6	10-30-77-01 --	\$ 5,453.00	344.3	10-51-63-01 10-51-63-02	\$ 6,036.00
Murex	1/0-7	1/0-7 AAC	1200 500	N-19 X-COIL	370.1	10-26-57-01 10-26-57-02	\$ 5,303.00	370.1	10-47-45-01 10-47-45-02	\$ 5,877.00
Purpura	1/0-9	1/0-7 AAC	1200 500	N-19 X-COIL	369.3	10-26-65-01 10-26-65-02	\$ 5,535.00	369.3	10-47-52-01 10-47-52-02	\$ 6,139.00
Neritina	1/0-7	1/0-6/1 ACSR	1200 500* 250*	N-19 X-COIL X-COIL	416.3	10-27-64-01* 10-27-64-02* --	\$ 5,707.00	416.4	10-48-51-01* 10-48-51-02* 10-48-51-08*	\$ 6,329.00
Cenia	1/0-9	1/0-6/1 ACSR	1200 500	N-19 X-COIL	414.2	10-27-72-01 10-27-72-02	\$ 5,860.00	414.1	10-48-69-01 10-48-69-02	\$ 6,494.00
Janthina	1/0-7	2-6/1 ACSR	1200 500*	N-19 X-COIL	362.4	10-28-55-01 10-28-55-02	\$ 5,295.00	362.4	10-49-43-01* 10-49-43-02*	\$ 5,875.00
Ranella	1/0-9	2-6/1 ACSR	1200 500	N-19 X-COIL	360.2	10-28-63-01 10-28-63-02	\$ 5,486.00	--	--	
Nassa	2/0-7	2/0-7 AAC	1500	N-29	456.5	10-26-73-01	\$ 6,222.00	456.5	10-47-60-01	\$ 6,890.00
Runcina	2/0-7	2/0-6/1 ACSR	1500	N-29	514.9	10-27-80-01*	\$ 6,620.00	514.9	10-48-77-01*	\$ 7,332.00
Triton	2/0-11	2/0-6/1 ACSR	1500	N-29	512.1	10-27-98-01	\$ 6,833.00	510.6	10-48-85-01	\$ 7,572.00
Cavolinia	2/0-7	1-6/1 ACSR	1500	N-29	446.8	10-28-71-01	\$ 6,161.00	446.8	10-49-68-01	\$ 6,832.00
Clio	2/0-11	1-6/1 ACSR	1500	N-29	444.2	10-28-89-01	\$ 6,305.00	444.5	10-49-76-01	\$ 6,990.00
Flustra	3/0-17	3/0-7 6201	1300	N-29	584.4	15-67-45-01	\$ 8,008.00	--	--	
Mursia	3/0-17	3/0-6/1 ACSR	1300	N-29	632.4	10-28-06-01	\$ 8,110.00	633.1	10-48-93-01	\$ 8,989.00
Aega	3/0-17	1/0-6/1 ACSR	1300	N-29	547.1	10-28-97-01	\$ 7,296.00	547.5	10-49-84-01	\$ 8,087.00
Lepas	4/0-18	4/0-7 6201	1000	N-29	725.5	10-30-44-01	\$ 9,435.00	725.5	10-51-30-01	\$ 10,459.00
Arca	4/0-18	2/0-7 6201	1000	N-29	640.2	10-30-85-01	\$ 8,257.00	640.2	10-51-71-01	\$ 9,143.00
Portunas	4/0-18	4/0-19 AAC	1000	N-29	693.5	10-27-07-01	\$ 9,868.00	693.5	10-47-94-01	\$ 10,933.00
Zuzara	4/0-18	4/0-6/1 ACSR	1000	N-29	786.1	10-28-14-01*	\$ 9,616.00	786.4	10-49-01-01*	\$ 10,656.00
Cerapus	4/0-18	2/0-6/1 ACSR	1000	N-29	680.9	10-29-05-01	\$ 8,630.00	680.9	10-49-92-01	\$ 9,563.00
Nanynose	336.4-19	336.4-19 AAC	1000	N-62	--	--		1114.1	25-04-07-02	\$ 17,938.00
Cowry	336.4-19	4/0-6/1 ACSR	500	N-29	--	--		1089.7	22-73-14-01	\$ 16,560.00
Limpet	336.4-19	336.4-18/1 ACSR	500	N-29	1167.6	24-89-22-01	\$ 17,815.00	1163.4	24-58-45-01	\$ 19,739.00

*Indicates items normally carried in stock.

Notes:

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

QUADRUPLEX SERVICE DROP

CODE WORD	PHASE CONDUCTOR	NEUTRAL	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	POLY		XLP		
						STOCK NO.	BASE PRICE PER MFT.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Chola	6-7	6-6/1 ACSR	2100 500	N-19 X-COIL	153.4	10-31-76-01 10-31-76-02	\$ 3,241.00	151.7	10-52-62-01 10-52-62-02	\$ 3,592.00
Arabian	4-7	4-7 6201	1700 500	N-19 X-COIL	214.7	10-32-67-01 10-32-67-02	\$ 3,985.00	--	--	
Pinto	4-7	4-7 AAC	-- 500	-- X-COIL	211.0	-- 10-31-01-02	\$ 3,642.00	--	--	
Hackney	4-7	4-6/1 ACSR	1700 500*	N-19 X-COIL	226.7	10-31-92-01* 10-31-92-02*	\$ 4,008.00	226.7	10-52-88-01 10-52-88-02	\$ 4,446.00 \$ 4,446.00
Belgian	2-7	2-7 6201	1800	N-24	324.1	10-32-75-01	\$ 5,176.00	324.1	10-53-61-01	\$ 5,741.00
Mustang	2-7	2-7 AAC	1800	N-24	314.1	10-31-19-01	\$ 4,848.00	--	--	
Palomino	2-7	2-6/1 ACSR	1800 500*	N-24 X-COIL	343.1	10-32-00-01* 10-32-00-05*	\$ 5,114.00	343.2	10-52-96-01* --	\$ 5,670.00
Shetland	1/0-9	1/0-7 6201	1200	N-29	518.6	10-32-83-01	\$ 7,687.00	523.0	10-53-79-01	\$ 8,525.00
Criollo	1/0-9	1/0-7 AAC	1200	N-29	504.5	10-31-27-01	\$ 7,494.00	507.0	10-52-13-01	\$ 8,214.00
Costena	1/0-9	1/0-6/1 ACSR	1200	N-29	550.7	10-32-26-01	\$ 7,851.00	553.3	10-53-12-01	\$ 8,705.00
Thoroughbred	2/0-11	2/0-7 6201	1500	N-48	640	10-32-91-01	\$ 9,134.00	636.2	10-53-87-01	\$ 10,127.00
Percheron	2/0-11	2/0-7 AAC	1500	N-37	--	--		618.6	10-52-21-01	\$ 9,479.00
Grullo	2/0-11	2/0-6/1 ACSR	1500	N-37	673.8	10-32-34-01	\$ 9,810.00	673.8	10-53-20-01	\$ 10,154.00
Suffolk	3/0-17	3/0-6/1 ACSR	1300	N-48	833.3	10-32-42-01	\$ 10,888.00	834.3	10-53-38-01	\$ 12,051.00
Walking	4/0-18	4/0-7 6201	1100	N-48	973.2	10-33-09-01	\$ 12,577.00	973.1	10-53-95-01	\$ 13,942.00
Oldenburg	4/0-18	4/0-19 AAC	1100	N-48	941.2	10-31-50-01	\$ 13,005.00	941.1	10-52-47-01	\$ 14,409.00
Appaloosa	4/0-18	4/0-6/1 ACSR	1100	N-48	1033.7	10-32-59-01*	\$ 12,764.00	1034.0	10-53-46-01*	\$ 14,145.00
Lippizaner	336.4-19	336.4-19 AAC	1000	N-62	1519.0	27-59-90-01	\$ 23,695.00	1513.4	25-04-15-02	\$ 26,255.00
Bronco	336.4-19	336.4-18/1 ACSR	500	N-37	1562.7	24-89-30-01	\$ 26,705.00	1561.1	25-09-02-02	\$ 27,127.00

*Indicates items normally carried in stock.

Notes:

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

PARALLEL AERIAL CABLE

CODE WORD	PHASE CONDUCTOR	NEUTRAL	PKG. LENGTH	SW PKG. NO.	HD POLY			XLP		
					WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
THREE CONDUCTOR										
Hot Springs	1/0-7	1/0-7 6201	2500	N-37	404.8	11-79-86-01	\$ 6,203.00	400.7	11-81-09-01	\$ 6,734.00
Homochitto	1/0-7	1/0-6/1 ACSR	2500	N-37	434.9	11-79-03-01	\$ 6,300.00	430.9	11-80-26-01	\$ 6,838.00
Mesa Verde	2/0-7	2/0-7 6201	2500	N-37	494.1	11-78-95-01	\$ 7,802.00	--	--	
Malheur	2/0-7	2/0-6/1 ACSR	2500	N-48	531.7	11-79-11-01	\$ 7,929.00	--	--	
Vicksburg	4/0-18	4/0-7 6201	1500	N-37	743.8	11-80-18-01	\$ 10,084.00	740.8	11-81-33-01	\$ 10,945.00
Umpquas	4/0-18	4/0-6/1 ACSR	1500	N-37	804.4	11-79-37-01	\$ 10,263.00	--	--	

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

REVERSE TWIST SECONDARY

CODE WORD	PHASE CONDUCTOR	NEUTRAL	PKG. LENGTH	SW PKG. NO.	HD POLY			XLP		
					WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
THREE CONDUCTOR										
Auburn	1/0-7	1/0-7 6201	1200	N-24	--	--	--	400.1	16-39-80-01	\$ 6,805.00
Rockne	2/0-7	2/0-7 6201	1600	N-37	499.6	17-38-98-01	\$ 7,510.00	496.9	16-39-72-01	\$ 8,145.00
Cord	2/0-7	2/0-6/1 ACSR	1600	N-37	--	--	--	534.9	16-39-31-01	\$ 8,133.00
Durant	4/0-7	4/0-7 6201	1000	N-37	--	--	--	747.3	16-39-64-01	\$ 11,578.00

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

SINGLE CONDUCTOR 600V SECONDARY UD HI-SCORE

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Princeton	6-7	60	1000	N-2	44.4	30-98-23-01	\$ 1,203.00
Mercer	4-7	60	1000	N-3	62.5	30-98-31-04	\$ 1,246.00
Clemson	2-7	60	1000	N-3	90.9	30-98-49-01	\$ 1,729.00
Kenyon	1-9	80	1000	N-5	121.1	30-98-56-01	\$ 2,094.00
Harvard	1/0-9	80	1000	N-7P	146.9	30-98-64-01	\$ 2,263.00
Yale	2/0-11	80	1000	N-5	177.2	30-98-72-01	\$ 2,673.00
Tufts	3/0-17	80	1000	N7-P	214.4	30-98-98-01	\$ 3,213.00
Beloit	4/0-18	80	1000	N-11	262.1	30-98-80-02	\$ 3,803.00
Hofstra	250-26	95	1000	N-11	315.7	31-13-16-01	\$ 4,543.00
Gonzaga	300-37	95	1000	N-11	368.4	26-40-10-01	\$ 5,580.00
Rutgers	350-37	95	1000	N-15	423.2	30-99-30-01	\$ 6,607.00
Emory	500-37	95	1000	N-19	583.1	30-99-48-01	\$ 8,844.00
Sewanee	750-61	110	1000	N-24	856.0	30-99-55-02	\$ 11,706.00
Fordham	1000-61	110	1000	N-34	1110.8	30-99-63-01	\$ 16,356.00

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All cable is XLP (Crosslinked Polyethylene) insulation.

SINGLE CONDUCTOR 600V SECONDARY UD

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Princeton	6-7	60	1000	N-2	43.5	15-44-35-06	\$ 1,145.00
Mercer	4-7	60	1000	N-3	62.1	10-54-37-06	\$ 1,182.00
Clemson	2-7	60	1000	N-3	90.6	10-54-45-07	\$ 1,642.00
Kenyon	1-9	80	1000	N-5	121.8	10-54-52-05	\$ 1,995.00
Harvard	1/0-9	80	1000	N-5	146.3	10-54-60-06	\$ 2,149.00
Yale	2/0-11	80	1000	N-5	176.9	10-54-78-05	\$ 2,540.00
Tufts	3/0-17	80	1000	N7-P	213.7	10-54-86-05	\$ 3,047.00
Beloit	4/0-18	80	1000	N-11	261.3	10-54-94-05	\$ 3,613.00
Hofstra	250-26	95	1000	N-11	317.0	16-18-77-05	\$ 4,314.00
Gonzaga	300-37	95	1000	N-11	368.6	10-55-02-05	\$ 5,298.00
Rutgers	350-37	95	1000	N-15	422.1	10-55-10-03	\$ 6,277.00
Dartmouth	400-37	95	1000	N-15	468.8	25-10-58-01	\$ 6,999.00
Emory	500-37	95	1000	N-19	581.8	10-55-28-05	\$ 8,405.00
Duke	600-61	110	1000	N-19	704.4	10-55-36-01	\$ 9,811.00
Furman	700-61	110	1000	N-24	802.5	10-55-44-05	\$ 11,131.00
Sewanee	750-61	110	1000	N-24	860.8	10-55-51-05	\$ 11,118.00
Fordham	1000-61	110	1000	N-34	1118.5	17-84-75-03	\$ 15,535.00

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All cable is XLP (Crosslinked Polyethylene) insulation.

DUPLEX 600V SECONDARY UD HI-SCORE

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Bard	8-7	60	8-7 YES	60	1000	N-5	64.8	31-07-30-01	\$ 1,942.00
Clafin	6-7	60	6-7 YES	60	1000	N-7P	89.7	30-91-87-01	\$ 2,446.00
Delgado	4-7	60	4-7 YES	60	1000	N-11	128.2	30-91-79-01	\$ 2,886.00

Notes:

All Packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

DUPLEX 600V SECONDARY UD

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Bard	8-7	60	8-7 YES	60	1000	N-7P	63.3	27-35-40-01	\$ 1,839.00
Clafin	6-7	60	6-7 YES	60	1000	N-7P	88.0	27-35-57-01	\$ 2,331.00
Delgado	4-7	60	4-7 YES	60	1000	N-11	125.5	27-35-65-01	\$ 2,739.00

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

TRIPLEX 600V SECONDARY UD HI-SCORE

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Erskine	6-7	60	6-7 YES	60	1000	N-7P	134.5	30-84-11-01	\$ 3,476.00
Vassar	4-7	60	4-7 YES	60	1000	N-11	192.2	30-84-29-01	\$ 4,040.00
Stephens	2-7	60	4-7 YES	60	1000	N-15	246.8	30-84-37-01	\$ 5,044.00
Ramapo	2-7	60	2-7 YES	60	1000	N-15	279.4	30-84-45-01	\$ 5,061.00
Brenau	1/0-9	80	2-7 YES	60	1000	N-19	388.6	30-84-52-01	\$ 6,120.00
Bergen	1/0-9	80	1/0-9 YES	80	1000	N-24	443.2	30-84-60-01	\$ 6,671.00
Converse	2/0-11	80	1-9 YES	80	1000	N-24	482.2	30-84-78-01	\$ 7,253.00
Hunter	2/0-11	80	2/0-11 YES	80	1000	N-24	538.0	30-84-86-01	\$ 7,908.00
Hollins	3/0-17	80	1/0-9 YES	80	1000	N-29	581.4	30-84-94-01	\$ 8,749.00
Sweetbriar	4/0-18	80	2/0-11 YES	80	1000	N-29	708.8	30-85-10-01	\$ 9,987.00
Monmouth	4/0-18	80	4/0-18 YES	80	1000	N-37	795.4	30-85-28-01	\$ 11,075.00
Wesleyan	350-37	95	4/0-18 YES	80	1000	N-48	1119.6	30-85-44-01	\$ 16,553.00
	350-37	80	4/0-18 YES	80	1000	N-48	1088.0	31-07-06-01	\$ 16,207.00
Rider	500-37	95	350-37 YES	95	1000	N-62	1605.4	30-92-11-01	\$ 24,174.00
	500-37	80	350-37 YES	80	1000	N-62	1548.7	31-07-14-01	\$ 23,671.00

*Indicates items normally carried in stock.

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

TRIPLEX 600V SECONDARY UD

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Erskine	6-7	60	6-7 YES	60	1000	N-7P	131.9	27-79-96-01	\$ 3,298.00
Vassar	4-7	60	4-7 YES	60	1000	N-11	188.2	24-16-61-01	\$ 3,843.00
Stephens	2-7	60	4-7 YES	60	1000	N-15	245.8	27-26-41-01	\$ 4,787.00
					500	N-7P		27-26-41-05*	
Ramapo	2-7	60	2-7 YES	60	1000	N-15	274.6	27-26-58-01	\$ 4,812.00
Brenau	1/0-9	80	2-7 YES	60	1000	N-19	387.0	20-57-24-01	\$ 5,811.00
Bergen	1/0-9	80	1/0-9 YES	80	1000	N-19	443.2	27-26-74-01	\$ 6,334.00
Converse	2/0-11	80	1-9 YES	80	1000	N-24	480.4	24-33-11-01	\$ 6,888.00
Hunter	2/0-11	80	2/0-11 YES	80	1000	N-24	536.1	27-26-82-01	\$ 7,273.00
Hollins	3/0-17	80	1/0-9 YES	80	1000	N-29	579.4	26-75-00-01	\$ 8,312.00
Rockland	3/0-17	80	3/0-17 YES	80	1000	N-29	647.5	27-26-90-01	\$ 9,526.00
Sweetbriar	4/0-18	80	2/0-11 YES	80	1000	N-29	706.6	23-70-24-01	\$ 9,489.00
					500	N-19		23-70-24-06*	
Monmouth	4/0-18	80	4/0-18 YES	80	1000	N-37	791.8	27-27-08-01	\$ 10,520.00
					500	N-19		27-27-08-21*	
Pratt	250-26	95	3/0-17 YES	80	1000	N-48	856.2	27-27-16-01	\$ 11,908.00
Wesleyan	350-37	95	4/0-18 YES	80	1000	N-48	1116.5	24-25-11-01	\$ 15,721.00
Rider	500-37	95	350-37 YES	95	1000	N-62	1601.5	27-27-32-01	\$ 22,966.00

*Indicates items normally carried in stock.

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

TRIPLEX 600V SECONDARY UD HI-SCORE POWERGLIDE™

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Erskine	6-7	60	6-7 YES	60	1000	N-7P	139.9	61-49-36-01	\$ 3,938.00
Vassar	4-7	60	4-7 YES	60	1000	N-11	196.8	61-49-37-01	\$ 4,590.00
Stephens	2-7	60	4-7 YES	60	1000	N-15	255.0	61-49-39-01	\$ 5,727.00
Ramapo	2-7	60	2-7 YES	60	1000	N-15	286.4	61-49-38-01	\$ 5,753.00
Brenau	1/0-9	80	2-7 YES	60	1000	N-19	395.9	61-42-23-01	\$ 6,801.00
Bergen	1/0-9	80	1/0-9 YES	80	1000	N-24	450.5	61-49-40-01	\$ 7,410.00
*Converse	2/0-11	80	1-9 YES	80	1000	N-24	487.8	61-42-24-01	\$ 8,055.00
Hunter	2/0-11	80	2/0-11 YES	80	1000	N-24	544.4	61-49-42-01	\$ 8,694.00
Hollins	3/0-17	80	1/0-9 YES	80	1000	N-29	590.9	61-47-95-01	\$ 9,615.00
*Sweetbriar	4/0-18	80	2/0-11 YES	80	1000	N-29	717.2	61-39-29-01	\$ 10,855.00
Monmouth	4/0-18	80	4/0-18 YES	80	1000	N-37	806.3	61-49-43-01	\$ 12,034.00
*Wesleyan	350-37	95	4/0-18 YES	80	1000	N-48	1119.0	61-42-21-01	\$ 17,607.00
	350-37	80	4/0-18 YES	80	1000	N-48	1097.5	61-49-44-01	\$ 17,244.00
Rider	500-37	95	350-37 YES	95	1000	N-62	1606.5	61-42-25-01	\$ 25,714.00
	500-37	80	350-37 YES	80	1000	N-62	1558.2	61-49-45-01	\$ 25,192.00

*Indicates items normally carried in stock.

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

TRIPLEX 600V SECONDARY UD POWERGLIDE™

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Erskine	6-7	60	6-7 YES	60	1000	N-7P	140.3	61-49-54-01	\$ 3,745.00
Vassar	4-7	60	4-7 YES	60	1000	N-11	197.9	61-49-55-01	\$ 4,362.00
Stephens	2-7	60	4-7 YES	60	1000	N-15	256.0	61-49-56-01	\$ 5,444.00
Ramapo	2-7	60	2-7 YES	60	1000	N-15	285.0	61-49-57-01	\$ 5,467.00
Brenau	1/0-9	80	2-7 YES	60	1000	N-19	394.6	61-42-51-01	\$ 6,458.00
Bergen	1/0-9	80	1/0-9 YES	80	1000	N-19	448.7	61-49-59-01	\$ 7,046.00
*Converse	2/0-11	80	1-9 YES	80	1000	N-24	488.1	61-42-52-01	\$ 7,657.00
Hunter	2/0-11	80	2/0-11 YES	80	1000	N-24	542.5	61-49-60-01	\$ 8,257.00
Hollins	3/0-17	80	1/0-9 YES	80	1000	N-29	588.9	61-49-61-01	\$ 9,135.00
Rockland	3/0-17	80	3/0-17 YES	80	1000	N-29	658.9	61-49-62-01	\$ 10,465.00
*Sweetbriar	4/0-18	80	2/0-11 YES	80	1000	N-29	714.8	61-41-89-01	\$ 10,314.00
Monmouth	4/0-18	80	4/0-18 YES	80	1000	N-37	804.0	61-49-63-01	\$ 11,439.00
Pratt	250-26	95	3/0-17 YES	80	1000	N-48	861.1	61-49-64-01	\$ 12,944.00
*Wesleyan	350-37	95	4/0-18 YES	80	1000	N-48	1125.5	61-42-53-01	\$ 16,730.00
Rider	500-37	95	350-37 YES	95	1000	N-62	1607.9	61-49-65-01	\$ 24,432.00

*Indicates items normally carried in stock.

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

**TRIPLEX 600V ALUMAFLEX 3E SECONDARY UD
TRI-RATED-RHH/RHW-2/USE-2**

CODE	PHASE	INSULATION THICKNESS		INSULATION THICKNESS	PKG.	SW PKG.	WEIGHT PER	STOCK	BASE PRICE
WORD	CONDUCTOR	(MILS)	NEUTRAL	(MILS)	LENGTH	NO.	MFT.	NO.	PER MFT.
Vassar	4-7	60	4-7 YES	60	1000	N-11	201.0	37-81-58-01	\$ 5,114.00
Stephens	2-7	60	4-7 YES	60	1000	N-15	256.6	37-81-17-01	\$ 6,385.00
Ramapo	2-7	60	2-7 YES	60	1000	N-15	286.3	37-81-41-01	\$ 6,409.00
Brenau	1/0-9	80	2-7 YES	60	1000	N-19	404.1	37-81-66-01	\$ 7,749.00
Bergen	1/0-9	80	1/0-9 YES	80	1000	N-24	462.9	65-07-70-01	\$ 8,453.00
Converse	2/0-11	80	1-9 YES	80	1000	N-24	501.2	37-81-82-01	\$ 9,188.00
Sweetbriar	4/0-18	80	2/0-11 YES	80	1000	N-29	732.0	37-71-27-01	\$ 12,646.00
					500	N-19		37-71-27-04*	\$ 12,646.00
Monmouth	4/0-18	80	4/0-18 YES	80	1000	N-37	819.3	33-42-19-02	\$ 14,026.00
Pratt	250-26	95	3/0-17 YES	80	1000	N-48	888.2	39-89-82-01	\$ 15,880.00
Wesleyan	350-37	95	4/0-18 YES	80	1000	N-48	1129.0	39-90-63-01	\$ 20,964.00

***Indicates items normally carried in stock.**

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

QUADRUPLEX 600V SECONDARY UD HI-SCORE

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Tulsa	4-7	60	4-7 YES	60	1000	N-15	252.6	30-85-69-01	\$ 5,358.00
Dyke	2-7	60	4-7 YES	60	1000	N-19	338.7	30-85-77-01	\$ 6,507.00
Wittenberg	2-7	60	2-7 YES	60	1000	N-19	372.5	30-85-85-01	\$ 6,651.00
Notre Dame	1/0-9	80	2-7 YES	60	1000	N-29	536.3	30-85-93-01	\$ 8,573.00
Syracuse	2/0-11	80	1-9 YES	80	1000	N-34	659.3	30-86-19-01	\$ 10,078.00
Wake Forest	4/0-18	80	2/0-11 YES	80	1000	N-48	973.5	30-86-50-01	\$ 14,218.00
Slippery Rock	350-37	95	4/0-18 YES	80	1000	N-76	1531.3	30-86-76-01	\$ 23,344.00
	350-37	80	4/0-18 YES	80	1000	N-76	1483.7	31-07-71-01	\$ 22,863.00
Wofford	500-37	95	350-37 YES	95	1000	N-99	2194.4	31-07-97-01	\$ 33,093.00

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

QUADRUPLEX 600V SECONDARY UD

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Tulsa	4-7	60	4-7 YES	60	1000	N-15	251.0	27-43-32-01	\$ 5,093.00
Dyke	2-7	60	4-7 YES	60	1000	N-19	337.3	27-43-40-01	\$ 6,182.00
					500	N-11		27-43-40-09*	
Wittenburg	2-7	60	2-7 YES	60	1000	N-19	366.1	27-43-57-01	\$ 6,319.00
Notre Dame	1/0-9	80	2-7 YES	60	1000	N-29	534.7	27-43-65-01	\$ 8,145.00
Purdue	1/0-9	80	1/0-9 YES	80	1000	N-29	590.9	27-43-73-01	\$ 8,667.00
Syracuse	2/0-11	80	1-9 YES	80	1000	N-34	659.1	27-43-81-01	\$ 9,576.00
Lafayette	2/0-11	80	2/0-11 YES	80	1000	N-34	713.3	27-43-99-01	\$ 10,092.00
Swarthmore	3/0-17	80	1/0-9 YES	80	1000	N-48	795.2	27-44-07-01	\$ 12,128.00
Davidson	3/0-17	80	3/0-17 YES	80	1000	N-48	863.3	27-44-15-01	\$ 12,791.00
Wake Forest	4/0-18	80	2/0-11 YES	80	1000	N-48	970.5	27-44-23-01	\$ 13,500.00
Earlham	4/0-18	80	4/0-18 YES	80	1000	N-48	1055.8	27-44-31-01	\$ 14,602.00
Slippery Rock	350-37	95	4/0-18 YES	80	1000	N-76	1542.9	27-49-02-01	\$ 22,177.00
Wofford	500-37	95	350-37 YES	95	1000	N-99	2189.1	30-37-27-01	\$ 31,444.00

*Indicates items normally carried in stock.

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

QUADRUPLEX 600V SECONDARY UD HI-SCORE POWERGLIDE™

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Tulsa	4-7	60	4-7 YES	60	1000	N-15	261.0	61-49-46-01	\$ 6,090.00
Dyke	2-7	60	4-7 YES	60	1000	N-19	348.3	61-49-47-01	\$ 7,394.00
Wittenberg	2-7	60	2-7 YES	60	1000	N-19	379.6	61-49-48-01	\$ 7,559.00
Notre Dame	1/0-9	80	2-7 YES	60	1000	N-29	543.9	61-49-49-01	\$ 9,530.00
Syracuse	2/0-11	80	1-9 YES	80	1000	N-34	667.0	61-49-50-01	\$ 11,199.00
Wake Forest	4/0-18	80	2/0-11 YES	80	1000	N-48	985.7	61-49-51-01	\$ 15,448.00
Slippery Rock	350-37	95	4/0-18 YES	80	1000	N-76	1557.2	61-49-52-01	\$ 24,833.00
	350-37	80	4/0-18 YES	80	1000	N-76	1508.9	61-44-81-01	\$ 24,319.00
Wofford	500-37	95	350-37 YES	95	1000	N-99	2199.9	61-49-53-01	\$ 35,204.00

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

QUADRUPLEX 600V SECONDARY UD POWERGLIDE™

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Tulsa	4-7	60	4-7 YES	60	1000	N-15	261.7	61-49-67-01	\$ 5,786.00
Dyke	2-7	60	4-7 YES	60	1000	N-19	348.8	61-49-68-01	\$ 7,028.00
Wittenburg	2-7	60	2-7 YES	60	1000	N-19	377.8	61-49-69-01	\$ 7,179.00
Notre Dame	1/0-9	80	2-7 YES	60	1000	N-29	542.5	61-42-92-01	\$ 9,055.00
Purdue	1/0-9	80	1/0-9 YES	80	1000	N-29	596.1	61-49-70-01	\$ 9,628.00
Syracuse	2/0-11	80	1-9 YES	80	1000	N-34	664.5	61-49-71-01	\$ 10,634.00
Lafayette	2/0-11	80	2/0-11 YES	80	1000	N-34	721.1	61-49-72-01	\$ 11,212.00
Swarthmore	3/0-17	80	1/0-9 YES	80	1000	N-48	806.3	61-49-73-01	\$ 13,327.00
Davidson	3/0-17	80	3/0-17 YES	80	1000	N-48	876.2	61-49-75-01	\$ 14,207.00
Wake Forest	4/0-18	80	2/0-11 YES	80	1000	N-48	979.0	61-49-76-01	\$ 14,676.00
Earlham	4/0-18	80	4/0-18 YES	80	1000	N-48	1069.7	61-49-77-01	\$ 15,869.00
Slippery Rock	350-37	95	4/0-18 YES	80	1000	N-76	1552.4	61-49-78-01	\$ 23,593.00
Wofford	500-37	95	350-37 YES	95	1000	N-99			\$ 33,444.00

Notes:

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which do not appear on price pages are available subject to special inquiry.

All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

SureSeal™ DUPLEX 600V SureSeal™ UD

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Clafin	6-7	80	6-7 YES	80	1000	N-7P	105.4	61-24-63-01	\$ 2,779.00
Delgado	4-7	80	4-7 YES	80	1000	N-11	145.6	61-24-64-01	\$ 3,279.00

Notes:
 All Packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.
 Products listed on data pages which do not appear on price pages are available subject to special inquiry.
 All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

TRIPLEX 600V SureSeal™ SECONDARY UD

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Erskine	6-7	80	6-7 YES	80	1000	N-7P	158.5	61-23-35-01	\$ 3,938.00
Vassar	4-7	80	4-7 YES	80	1000	N-11	219.6	61-23-36-01	\$ 4,590.00
Stephens	2-7	80	4-7 YES	80	1000	N-15	278.7	61-23-37-01	\$ 5,727.00
Ramapo	2-7	80	2-7 YES	80	1000	N-15	311.5	61-24-66-01	\$ 5,753.00
Brenau	1/0-9	80	2-7 YES	80	1000	N-19	398.9	61-23-38-01	\$ 6,801.00
Bergen	1/0-9	80	1/0-9 YES	80	1000	N-19	442.6	61-24-67-01	\$ 7,410.00
Converse	2/0-11	80	1-9 YES	80	1000	N-24	470.2	61-23-39-01	\$ 8,055.00
Hunter	2/0-11	80	2/0-11 YES	80	1000	N-24	525.34	61-24-68-01	\$ 8,782.00
Hollins	3/0-17	80	1/0-9 YES	80	1000	N-29	571.3	61-23-40-01	\$ 9,720.00
Sweetbriar	4/0-18	80	2/0-11 YES	80	1000	N-29	709.8	61-23-42-01	\$ 10,976.00
Monmouth	4/0-18	80	4/0-18 YES	80	1000	N-37	795.6	61-24-69-01	\$ 12,168.00
Wesleyan	350-37	95	4/0-18 YES	80	1000	N-48	1104.4	61-38-23-01	\$ 17,993.00
	350-37	80	4/0-18 YES	80	1000	N-48	1072.5	61-40-63-01	\$ 17,622.00
Rider	500-37	95	350-37 YES	95	1000	N-62	1597.4	61-38-24-01	\$ 26,273.00
	500-37	80	350-37 YES	80	1000	N-62	1544.7	61-40-62-01	\$ 25,729.00

Notes:
 All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.
 Products listed on data pages which do not appear on price pages are available subject to special inquiry.
 All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.

QUADRUPLEX 600V SureSeal™ SECONDARY UD

CODE WORD	PHASE CONDUCTOR	INSULATION THICKNESS (MILS)	NEUTRAL	INSULATION THICKNESS (MILS)	PKG. LENGTH	SW PKG. NO.	WEIGHT PER MFT.	STOCK NO.	BASE PRICE PER MFT.
Tulsa	4-7	80	4-7 YES	80	1000	N-15	290.6	61-24-70-01	\$ 5,907.00
Dyke	2-7	80	4-7 YES	80	1000	N-19	384.7	61-24-71-01	\$ 7,172.00
Wittenburg	2-7	80	2-7 YES	80	1000	N-19	413.4	61-24-72-01	\$ 7,332.00
Notre Dame	1/0-9	80	2-7 YES	80	1000	N-29	548.4	61-24-74-01	\$ 9,244.00
Syracuse	2/0-11	80	1-9 YES	80	1000	N-34	662.2	61-24-75-01	\$ 10,863.00
Wake Forest	4/0-18	80	2/0-11 YES	80	1000	N-48	974.4	61-24-76-01	\$ 15,152.00
Slipperyrock	350-37	95	4/0-18 YES	80	1000	N-76	1526.6	61-38-33-01	\$ 24,612.00
Wofford	500-37	95	350-37 YES	95	1000	N-99	2185.0	61-38-34-01	\$ 34,888.00

Notes:
 All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.
 Products listed on data pages which do not appear on price pages are available subject to special inquiry.
 All Yellow Extruded Stripe (YES suffix) cable is XLP (Crosslinked Polyethylene) insulation.